



Overview

PROSTHETIC COMPONENTS AND CADPOSITIONERS

Valid from
September 2021





Prosthetic components and CADPositioners

Implant diameter	Platform	Color coding	Laboratory analog		CADPositioner incl. prosthetic screw ¹		
			Model preparation		BEGO CADAbut Duo Two-piece abutment	BEGO CADAbut Full One-piece abutment	BEGO CADBase Bridge/bar
			Plaster model	3D Model			

Range 0.1 BEGO Implant Systems – Semados® S-implants – Platform Match Design

						
S 3,25	3,67		56694	549316	57060	
S 3,75	3,67		56695			
S 4,1	4,1		56696			
S 4,5	4,5		56698			
S 5,5	5,5		56699			

Range 0.2 BEGO Implant Systems – Semados® Mini-implants

						
Mini 2,7; 2,9; 3,1	3,5		56982		58256	

Range 0.3 BEGO Implant Systems – Semados® MultiPlus – Abutment Niveau

						
3,25/3,75; 4,1; 4,5; 5,5	MultiPlus		57524	549528	58255	

Range 0.5 BEGO Implant Systems – Semados® SC/SCX/RS/R SX/RI-implants – Platform Switch Design

						
RS/R SX 3,0	3,0		57796	549320	58250	
SC/SCX 3,25	3,67		58315	549321	58251	
SC/SCX/RS/R SX/RI 3,75	3,67		57819			
SC/SCX/RS/R SX/RI 4,1	4,1		57820	549322	58252	
SC/SCX/RS/R SX/RI 4,5	4,5		57821	549323	58253	
SC/SCX/RS/R SX/RI 5,5	5,5		57822	549324	58254	





¹ For single use only.



² DYNAMIC ABUTMENT®¹ screwdriver L24, REF Nr. 549539

Adhesive abutment incl. technician and prosthetic screw

Prosthetic screw²

BEGO CADAbut Duo Two-piece abutment with rotation protection			BEGO CADAbut Duo Two-piece abutment without rotation protection		BEGO CADAbut Full One-piece abutment		BEGO CADBase Bridge/bar	
--	--	--	---	--	---	--	----------------------------	--

								
					0°	0°-20°	0°	0°-20°
57285			57286		57031	549530 ²	57031	549530 ²
57287			57288					
57289			57290					
57291			57292					

								
					0°	0°	0°-20°	
					56983		549531 ²	

								
							57534	

								
GH 0	GH 1,5	GH 2,0	GH 0	GH 1,5	0°	0°-20°	0°	0°-20°
		57781			57782	553696		
57823	58370		57827	58374	57031	549530 ²	57031	549530 ²
57824	58371		57828	58375				
57825	58372		57829	58376				
57826	58373		57830	58377				

Prosthetic components and CADPositioners¹

Implant diameter	Platform	Color coding	Laboratory analog		CADPositioner incl. prosthetic screw ²		
			Model preparation		BEGO CADAbut Duo Two-piece abutment	BEGO CADAbut Full One-piece abutment	BEGO CADBase Bridge/bar
			Plaster model	3D Model			

Range 1.1 compatible with Straumann synOcta³







						
3,3; 4,1; 4,8	RN 4,8		520137	4	524880	524880
6,5	WN 6,5		520207	4	524881	524881

Original components: Two-piece abutment on original adhesive abutments.
The required original components (scan build-up, adhesive base) can be obtained from the implant manufacturer.

Range 1.1 compatible with Straumann synOcta (Variobase Abutment)³ – Abutment Niveau






3,3; 4,1 RN	RN synOcta secondary part				524626
4,8	WN synOcta secondary part				524627

Range 1.2 compatible with Straumann BoneLevel³

					
3,3	NC		520277	4	524882
4,1; 4,8	RC		520347	4	524883

Original components: Two-piece abutment on original adhesive abutments.
The required original components (scan build-up, adhesive base) can be obtained from the implant manufacturer.

Range 1.3 compatible with Straumann Narrow Neck CrossFit

					
3,5	NNC				524882




¹ This symbol is a commercial designation/registered trademark of a company which is not part of the BEGO company group.

² For single use only.

³ CADPositioner from 3Shape¹ usable. Please procure the necessary components from the respective manufacturer.

⁴ DIM analogues by nt-trading¹ usable.

⁵ DYNAMIC ABUTMENT^{®1} screwdriver L24, REF Nr. 549539

Adhesive abutment incl. prosthetic screw				Prosthetic screw ²							
BEGO CADAbut Duo Two-piece abutment with rotation protection		Spare prosthesis screw		BEGO CADAbut Duo Two-piece abutment without rotation protection		BEGO CADAbut Full One-piece abutment		BEGO CADBase Bridge/bar			
											
		0°				0°		0°-20°			
520134		520135				524338		549534 ⁵			
520204								524338		549534 ⁵	
						524614					
											
		0°		GH 0,7		GH 1,7		0°		0°-20°	
520274		520275		550276		550278		524340		549535 ⁵	
520344				550277		550279				520340	
						520061					

Prosthetic components and CADPositioners¹









Implant diameter	Platform	Color coding	Laboratory analog		CADPositioner incl. prosthetic screw ²		
			Model preparation		BEGO CADAbut Duo Two-piece abutment	BEGO CADAbut Full One-piece abutment	BEGO CADBase Bridge/bar
			Plaster model	3D Model			

Range 1.4 compatible with Straumann BLX


						
3,5; 3,75; 4,0; 4,5; 5,0; 5,5; 6,5	RB/WB					
5,0; 5,5; 6,5	WB					

Original components: The required original components (scan build-up, adhesive base) can be obtained from the implant manufacturer.

Range 2.1 compatible with DENTSPLY Implants FRIALIT/XiVe³

						
3,4	3,4		520564	4		524868
3,8	3,8		520634	4		524869
4,5	4,5		520705	4		524870
5,5	5,5		520775	4		

Range 2.2 compatible with DENTSPLY Implants Ankylos (Ankylos CX Ti-Interface) – Abutment Niveau

						
3,5; 4,5; 5,5; 7,0	Balance Base Abutment					520813

Original components: Two-piece abutment on original adhesive abutments.
The required original components (scan build-up, adhesive base) can be obtained from the implant manufacturer.








¹ This symbol is a commercial designation/registered trademark of a company which is not part of the BEGO company group.

² For single use only.

³ CADPositioner from 3Shape¹ usable. Please procure the necessary components from the respective manufacturer.

⁴ DIM analogues by nt-trading¹ usable.

⁵ DYNAMIC ABUTMENT^{®1} screwdriver L24, REF Nr. 549539

Adhesive abutment incl. prosthetic screw			Prosthetic screw ²			
BEGO CADAbut Duo Two-piece abutment with rotation protection	Spare prosthesis screw	BEGO CADAbut Duo Two-piece abutment without rotation protection	BEGO CADAbut Full One-piece abutment	BEGO CADBase Bridge/bar		
						
			0°		0°	
			552689		552689	
						
520562	0°		0°	0°	0°-20°	
520632	520560		520630	520630	549538 ⁵	
520703						
520773						
						
			520820			





Prosthetic components and CADPositioners¹

Implant diameter	Platform	Color coding	Laboratory analog		CADPositioner incl. prosthetic screw ²		
			Model preparation		BEGO CADAbut Duo Two-piece abutment	BEGO CADAbut Full One-piece abutment	BEGO CADBase Bridge/bar
			Plaster model	3D Model			





Range 3.1 compatible with Nobel Biocare NobelActive³

			
3,5	NP	■	521068 4 524871
4,3; 5,0	RP	■	521138 4 524872


Range 3.2 compatible with Nobel Biocare NobelReplace³

			
3,5	NP	■	521208 4 524873
4,0; 4,3	RP	■	521278 4 524874
5,0	WP	■	521348 4 524875
6,0	6,0	■	524876

Range 3.3 compatible with Nobel Biocare Brånemark System³

			
3,3	NP	■	521488 4 524877
3,75; 4,0	RP	■	521558 4 524878
5,0	WP	■	521628 4 524879

Range 3.4 compatible with Nobel Biocare Multi-unit Abutment – Abutment Niveau

			
Abutment Level	Multi-unit Abutment		521706













¹ This symbol is a commercial designation/registered trademark of a company which is not part of the BEGO company group.

² For single use only.

³ CADPositioner from 3Shape¹ usable. Please procure the necessary components from the respective manufacturer.

⁴ DIM analogues by nt-trading¹ usable.

⁵ DYNAMIC ABUTMENT^{®1} screwdriver L24, REF Nr. 549539

Adhesive abutment incl. prosthetic screw			Prosthetic screw ²		
BEGO CADAbut Duo Two-piece abutment with rotation protection	Spare prosthesis screw	BEGO CADAbut Duo Two-piece abutment without rotation protection	BEGO CADAbut Full One-piece abutment	BEGO CADBase Bridge/bar	
					
	0°	GH 0,8 GH 1,8	0°		
521065	521066	550272 550274	524342		
521135	521136	550273 550275	524344		
					
	0°		0°	0°	0°-20°
521205	521206		524346	524346	549536 ⁵
521275	521276		524348	524348	549537 ⁵
521347					
521415					
					
	0°		0°		
521485	521486		524350		
521555	521556		524351		
521625	521626		524353		
					
					521703

Prosthetic components and CADPositioners¹

Implant diameter	Platform	Color coding	Laboratory analog		CADPositioner incl. prosthetic screw ²		
			Model preparation		BEGO CADAbut Duo Two-piece abutment	BEGO CADAbut Full One-piece abutment	BEGO CADBase Bridge/bar
			Plaster model	3D Model			

Range 4.1 compatible with BIOMET 3i OSSEOTITE Certain/NanoTite Certain³

Implant diameter	Platform	Color coding	Plaster model	3D Model	CADPositioner incl. prosthetic screw ²
3,25; 3/4/3; 4/3	3,4	■	522068	4	524860
4,0; 4/5/4; 5/4	4,1	■	522138	4	524861
5,0; 5/6/5; 6/5	5,0	■	522208	4	
5,0; 5/6/5; 6/5	6,0	■			524861

Range 4.2 compatible with BIOMET 3i OSSEOTITE/NanoTite³

Implant diameter	Platform	Color coding	Plaster model	3D Model	CADPositioner incl. prosthetic screw ²
3,25	3,4	■	522278	4	524862
3,75; 4.0; 3/4	4,1	■	522347	4	524863
5,0; 4/5	5,0	■	522418	4	

Range 5.1 compatible with DENTSPLY Implants ASTRA TECH OsseoSpeed³

Implant diameter	Platform	Color coding	Plaster model	3D Model	CADPositioner incl. prosthetic screw ²
3,5; 4,0	3,5/4,0	■	523068	4	524853
4,5; 5,0	3,5/5,0	■	523138	4	524854

¹ This symbol is a commercial designation/registered trademark of a company which is not part of the BEGO company group.








² For single use only.

³ CADPositioner from 3Shape¹ usable. Please procure the necessary components from the respective manufacturer.

⁴ DIM analogues by nt-trading¹ usable.

Adhesive abutment incl. prosthetic screw










Prosthetic screw²

BEGO CADAbut Duo Two-piece abutment with rotation protection	Spare prosthesis screw	BEGO CADAbut Duo Two-piece abutment without rotation protection	BEGO CADAbut Full One-piece abutment	BEGO CADBase Bridge/bar
				
522065	0°		0°	0°
522135	522066		522061	522069
522205				
				
522275	0°		0°	
522345	522276		524357	
522415				
				
523065	0°		0°	
523135	523066		523061	
	523136		523131	

Prosthetic components and CADPositioners¹

Implant diameter	Plat- form	Color coding	Laboratory analog		CADPositioner incl. prosthetic screw ²		
			Model preparation		BEGO CADAbut Duo Two-piece abutment	BEGO CADAbut Full One-piece abutment	BEGO CADBase Bridge/bar
			Plaster model	3D Model			

Range 5.2 compatible with DENTSPLY Implants ASTRA TECH OsseoSpeed EV³








						
3,0	3,0		546728	4	524855	
3,6	3,6		546729	4	524856	
4,2	4,2		546730	4	524857	
4,8	4,8		546731	4	524858	
5,4	5,4		546732	4	524859	

Original components: Two-piece abutment on original adhesive abutments.
The required original components (scan build-up, adhesive base) can be obtained from the implant manufacturer.






Range 5.2 compatible with DENTSPLY Implants ASTRA TECH OsseoSpeed EV³ – Abutment Niveau

3,0; 3,6; 4,2; 4,8; 5,4	Uni Abutment EV					524625
-------------------------	-----------------	--	--	--	--	--------

Range 6.1 compatible with Zimmer Dental Tapered Screw-Vent³

						
3,7; 4,1	3,5		523568	4	524885	524885
4,7	4,5		523636	4	524886	524886
6,0	5,7		523706	4	524887	524887

Range 7.1 compatible with Phibo TSH

						
S2 3,3	3,3					523756
S3 3,6; S4 4,2	4,0					523776
S5 4,8	5,0					523796

¹ This symbol is a commercial designation/registered trademark of a company which is not part of the BEGO company group.

² For single use only.

³ CADPositioner from 3Shape¹ usable. Please procure the necessary components from the respective manufacturer.

⁴ DIM analogues by nt-trading¹ usable.


⁵ DYNAMIC ABUTMENT^{®1} screwdriver L24, REF Nr. 549539

Adhesive abutment incl. prosthetic screw			Prosthetic screw ²	
BEGO CADAbut Duo Two-piece abutment with rotation protection	Spare prosthesis screw	BEGO CADAbut Duo Two-piece abutment without rotation protection	BEGO CADAbut Full One-piece abutment	BEGO CADBase Bridge/bar

				
		GH 1,0	GH 2,0	0°
550241		550286	550291	524581
550242		550287	550292	524583
550243		550288	550293	524585
550244		550289	550294	524587
550245		550290	550295	524589

				524612
--	--	--	--	--------





				
	0°	GH 0,5	GH 1,5	0°
523565	523566	550280	550283	523638
523634		550281	550284	
523704		550282	550285	

	
	0°
	523752
	523772

Prosthetic components and CADPositioners¹

Implant diameter	Platform	Color coding	Laboratory analog		CADPositioner incl. prosthetic screw ²		
			Model preparation		BEGO CADAbut Duo Two-piece abutment	BEGO CADAbut Full One-piece abutment	BEGO CADBase Bridge/bar
			Plaster model	3D Model			

Range 8.1 compatible with CAMLOG CAMLOG SCREW-LINE / ROOT-LINE³

Implant diameter			Laboratory analog		CADPositioner incl. prosthetic screw ²		
							
3,3	3,3	■	546734	4	524864		
3,8	3,8	■	546735	4	524865		
4,3	4,3	■	546736	4	524866		
5,0	5,0	■	546737	4	524867		
6,0	6,0	■					

Range 8.1 compatible with CAMLOG CAMLOG SCREW-LINE/PROGRESSIVE-LINE/ROOT-LINE³ – Abutment Niveau

3,3; 3,8; 4,3	Bar Abutment			524629
5,0; 6,0	Bar Abutment			524631
3,8; 4,3	Vario SR Abutment			524634
5,0; 6,0	Vario SR Abutment			524633

Range 8.2 compatible with CAMLOG CONELOG SCREW-LINE³

Implant diameter			Laboratory analog		CADPositioner incl. prosthetic screw ²		
							
3,3	3,3	■	524144	4	549056		
3,8	3,8	■	524193	4	549057		
4,3	4,3	■					
5,0	5,0	■	524291	4	549059		

Range 8.3 compatible with CAMLOG iSy (iSy Hybrid Abutment)

Original components: Two-piece abutment on original adhesive abutments.
 The required original components (scan build-up, adhesive base) can be obtained from the implant manufacturer.

¹ This symbol is a commercial designation/registered trademark of a company which is not part of the BEGO company group.

² For single use only.

³ CADPositioner from 3Shape¹ usable. Please procure the necessary components from the respective manufacturer.

⁴ BEGO CADAbut Duo Two piece abutment with rotation protection.





⁵ BEGO CADAbut Duo Two piece abutment without rotation protection.

⁶ The original adhesive base is enclosed.

Adhesive abutment incl. prosthetic screw

Prosthetic screw²

BEGO CADAbut Duo Two-piece abutment with rotation protection	Spare prosthesis screw	BEGO CADAbut Duo Two-piece abutment without rotation protection	BEGO CADAbut Full One-piece abutment	BEGO CADBase Bridge/bar
--	---------------------------	---	---	----------------------------


















							
		GH 0,5	GH 1,5	0°	0°-20°	0°	0°-20°
523920		550258	550262				
523943		550259	550263	524060	549532 ⁵	524060	549532 ⁵
523966		550260	550264				
523989		550261	550265	524062		524062	549533 ⁵
524012							

						524618	
						524640	
						524622	

							
GH 0,8	GH 2,0	GH 1,0	GH 2,0				
524145	524146	550266	550269				
524194	524195	550267	550270				
524243	524244	550267	550270				
524292	524293	550268	550271				

--	--	--	--	--	--	--	--

Prosthetic components and CADPositioners¹







Implant diameter	Plat- form	Color coding	Laboratory analog		CADPositioner incl. prosthetic screw ²		
			Model preparation		BEGO CADAbut Duo Two-piece abutment	BEGO CADAbut Full One-piece abutment	BEGO CADBase Bridge/bar
			Plaster model	3D Model			
Range 9.1 compatible with Dyna Dental Dyna Helix							
							
3,2; 3,6; 4,2; 5,0	3,6/4,0						524379
Range 10.1 compatible with BioComp Implant Level/Abutment Level							
							
3,4; 4,0	4,0						524416
4,6; 5,2	5,2						
Range 10.1 compatible with BioComp Implant Level/Abutment Level – Abutment Niveau							
3,4; 4,0; 4,6; 5,2	Abutment Level						524628
Range 11.1 compatible with NEOSS ProActive							
							
3,5; 4,0; 4,5; 5,0; 5,5	4,5		546733	3			524888
Range 13.1 compatible with BioHorizons Internal³							
							
3,0				3	549052		
3,5				3	549053		
4,5				3	549054		
5,7				3	549055		

¹ This symbol is a commercial designation/registered trademark of a company which is not part of the BEGO company group.

² For single use only.

³ DIM analogues by nt-trading[!] usable.



Images and illustrations are examples. Colors, symbols, designs, and information on the depicted labels and/or packaging may differ from reality.

Adhesive abutment incl. prosthetic screw			Prosthetic screw ²	
BEGO CADAbut Duo Two-piece abutment with rotation protection	Spare prosthesis screw	BEGO CADAbut Duo Two-piece abutment without rotation protection	BEGO CADAbut Full One-piece abutment	BEGO CADBase Bridge/bar
				
				0°
				524377
				
				0°
				524413
				525543
				
550300			0°	524419
				
550303			0°	
550296				524445
550297				
550298				





Prosthetic components and CADPositioners¹

Implant diameter	Platform	Color coding	Laboratory analog		CADPositioner incl. prosthetic screw ²		
			Model preparation		BEGO CADAbut Duo Two-piece abutment	BEGO CADAbut Full One-piece abutment	BEGO CADBase Bridge/bar
			Plaster model	3D Model			

Range 14.1 compatible with Dentaurem tioLogic

						
3,3	3,4	■			546988	
3,7; 4,2	3,7	■ ■			546989	
4,8; 5,5	4,5	■ ■			546990	

Range 15.1 compatible with Bredent medical Sky

						
3,5	3,5	■	546998	³	546994	
4,0; 4,5; 5,5	4,0	■ ■ ■	546998	³	546996	

Range 16.1 compatible with medentis ICX ICX-Active-Master

						
3,75; 4,1; 4,8	4,0	■	546909	³	546910	

¹ This symbol is a commercial designation/registered trademark of a company which is not part of the BEGO company group.

² For single use only.

³ DIM analogues by nt-trading! usable.

Images and illustrations are examples. Colors, symbols, designs, and information on the depicted labels and/or packaging may differ from reality.

Adhesive abutment incl. prosthetic screw			Prosthetic screw ²	
BEGO CADAbut Duo Two-piece abutment with rotation protection	Spare prosthesis screw	BEGO CADAbut Duo Two-piece abutment without rotation protection	BEGO CADAbut Full One-piece abutment	BEGO CADBase Bridge/bar
				
			0°	
			546986	
				
550301			0°	
550302			546992	
				
550299			0°	
			546908	



www.bego.com

BEGO Medical GmbH

Wilhelm-Herbst-Str. 1 · 28359 Bremen, Germany
Tel. +49 421 2028-0 · Fax +49 421 2028-174
E-Mail info@bego-medical.com · www.bego.com

Always want to have a look at all BEGO news?
Sign up for our newsletter here: www.bego.com/newsletter



Not all products and services shown are available in all countries.
Errors and changes excepted. Our deliveries of products and services are governed by our Standard Terms of Business (STB), which are available at any time at www.bego.com and will be sent upon request.